



Contents

2010 ANNUAL BOOK OF ASTM STANDARDS, VOLUME 04.01

STANDARDS RELATING TO CEMENT; LIME; GYPSUM

A complete Subject Index appears at the end of this volume.

Listed below are those standards included in this volume(s) and those standards that have appeared previously which have been discontinued within the past three years.

In the serial designations prefixed to the following titles, the number following the dash indicates the year of original adoption as standard or, in the case of revision, the year of last revision. Thus, standards adopted or revised during the year 2010 have as their final number, 10. A letter following this number indicates more than one revision during that year, that is, 10a indicates the second revision in 2010, 10b, the third revision, etc. Standards that have been reapproved without change are indicated by the year of last reapproval in parentheses as part of the designation number, for example, (2010). A superscript epsilon indicates an editorial change since the last revision or reapproval—^{ε1} for the first change, ^{ε2} for the second change, etc.

§C5 – 03(2009)	Specification for Quicklime for Structural Purposes
C10/C10M – 10	Specification for Natural Cement
C11 – 10	Terminology Relating to Gypsum and Related Building Materials and Systems
C22/C22M – 00(2005) ^{ε1}	Specification for Gypsum
§C25 – 06	Test Methods for Chemical Analysis of Limestone, Quicklime, and Hydrated Lime
§C28/C28M – 00(2005)	Specification for Gypsum Plasters
§C35 – 01(2009)	Specification for Inorganic Aggregates for Use in Gypsum Plaster
§C50 – 00(2006)	Practice for Sampling, Sample Preparation, Packaging, and Marking of Lime and Limestone Products
§C51 – 07	Terminology Relating to Lime and Limestone (as used by the Industry)
§C59/C59M – 00(2006)	Specification for Gypsum Casting Plaster and Gypsum Molding Plaster
§C61/C61M – 00(2006)	Specification for Gypsum Keene's Cement
§C91 – 05	Specification for Masonry Cement
§C109/C109M – 08	Test Method for Compressive Strength of Hydraulic Cement Mortars (Using 2-in. or [50-mm] Cube Specimens)
§C110 – 09a	Test Methods for Physical Testing of Quicklime, Hydrated Lime, and Limestone
C114 – 10	Test Methods for Chemical Analysis of Hydraulic Cement
C115 – 10	Test Method for Fineness of Portland Cement by the Turbidimeter
§C141/C141M – 09	Specification for Hydrated Hydraulic Lime for Structural Purposes
§C150/C150M – 09	Specification for Portland Cement
C151/C151M – 09	Test Method for Autoclave Expansion of Hydraulic Cement
§C183 – 08	Practice for Sampling and the Amount of Testing of Hydraulic Cement
§C185 – 08	Test Method for Air Content of Hydraulic Cement Mortar
C186 – 05	Test Method for Heat of Hydration of Hydraulic Cement
C187 – 10	Test Method for Normal Consistency of Hydraulic Cement
§C188 – 09	Test Method for Density of Hydraulic Cement
C191 – 08	Test Methods for Time of Setting of Hydraulic Cement by Vicat Needle
C204 – 07	Test Methods for Fineness of Hydraulic Cement by Air-Permeability Apparatus
§C206 – 03(2009)	Specification for Finishing Hydrated Lime
§C207 – 06	Specification for Hydrated Lime for Masonry Purposes
C219 – 07a	Terminology Relating to Hydraulic Cement
§C226 – 07	Specification for Air-Entraining Additions for Use in the Manufacture of Air-Entraining Hydraulic Cement
C230/C230M – 08	Specification for Flow Table for Use in Tests of Hydraulic Cement
C265 – 08	Test Method for Water-Extractable Sulfate in Hydrated Hydraulic Cement Mortar
C266 – 08	Test Method for Time of Setting of Hydraulic-Cement Paste by Gillmore Needles
C305 – 06	Practice for Mechanical Mixing of Hydraulic Cement Pastes and Mortars of Plastic Consistency

§ Approved for use by agencies of the Department of Defense and, if indicated on the standard, replaces corresponding Federal or Military document. Consult the DoD Index of Specifications and Standards for the specific year of issue which has been adopted by the Department of Defense.

CONTENTS

§C317/C317M – 00(2005)	Specification for Gypsum Concrete
§C318/C318M – 00(2005)	Specification for Gypsum Formboard
C348 – 08	Test Method for Flexural Strength of Hydraulic-Cement Mortars
C349 – 08	Test Method for Compressive Strength of Hydraulic-Cement Mortars (Using Portions of Prisms Broken in Flexure)
C359 – 08	Test Method for Early Stiffening of Hydraulic Cement (Mortar Method)
C400 – 98(2006)	Test Methods for Quicklime and Hydrated Lime for Neutralization of Waste Acid
C430 – 08	Test Method for Fineness of Hydraulic Cement by the 45- μ m (No. 325) Sieve
C451 – 08	Test Method for Early Stiffening of Hydraulic Cement (Paste Method)
C452 – 06	Test Method for Potential Expansion of Portland-Cement Mortars Exposed to Sulfate
C465 – 10	Specification for Processing Additions for Use in the Manufacture of Hydraulic Cements
§C471M – 01(2006) ^{e1}	Test Methods for Chemical Analysis of Gypsum and Gypsum Products (Metric)
§C472 – 99(2009)	Test Methods for Physical Testing of Gypsum, Gypsum Plasters and Gypsum Concrete
C473 – 10	Test Methods for Physical Testing of Gypsum Panel Products
C474 – 05	Test Methods for Joint Treatment Materials for Gypsum Board Construction
§C475/C475M – 02(2007)	Specification for Joint Compound and Joint Tape for Finishing Gypsum Board
C490/C490M – 09	Practice for Use of Apparatus for the Determination of Length Change of Hardened Cement Paste, Mortar, and Concrete
C511 – 09	Specification for Mixing Rooms, Moist Cabinets, Moist Rooms, and Water Storage Tanks Used in the Testing of Hydraulic Cements and Concretes
§C514 – 04(2009) ^{e1}	Specification for Nails for the Application of Gypsum Board
C563 – 07	Test Method for Approximation of Optimum SO ₃ in Hydraulic Cement Using Compressive Strength
§C587 – 04	Specification for Gypsum Veneer Plaster
C593 – 06	Specification for Fly Ash and Other Pozzolans for Use With Lime for Soil Stabilization
§C595/C595M – 10	Specification for Blended Hydraulic Cements
C596 – 09	Test Method for Drying Shrinkage of Mortar Containing Hydraulic Cement
§C602 – 07	Specification for Agricultural Liming Materials
C631 – 09	Specification for Bonding Compounds for Interior Gypsum Plastering
§C645 – 09a	Specification for Nonstructural Steel Framing Members
C688 – 08	Specification for Functional Additions for Use in Hydraulic Cements
C706 – 02(2008) ^{e1}	Specification for Limestone for Animal Feed Use
C737 – 08	Specification for Limestone for Dusting of Coal Mines
§C754 – 09a	Specification for Installation of Steel Framing Members to Receive Screw-Attached Gypsum Panel Products
§C778 – 06	Specification for Standard Sand
C786/C786M – 10	Test Method for Fineness of Hydraulic Cement and Raw Materials by the 300- μ m (No. 50), 150- μ m (No. 100), and 75- μ m (No. 200) Sieves by Wet Methods
C806 – 04	Test Method for Restrained Expansion of Expansive Cement Mortar
C807 – 08	Test Method for Time of Setting of Hydraulic Cement Mortar by Modified Vicat Needle
C821 – 09	Specification for Lime for Use with Pozzolans
§C840 – 08	Specification for Application and Finishing of Gypsum Board
§C841 – 03(2008) ^{e1}	Specification for Installation of Interior Lathing and Furring
C842 – 05	Specification for Application of Interior Gypsum Plaster
§C843 – 99(2006)	Specification for Application of Gypsum Veneer Plaster
§C844 – 04	Specification for Application of Gypsum Base to Receive Gypsum Veneer Plaster
C845 – 04	Specification for Expansive Hydraulic Cement
§C847 – 10	Specification for Metal Lath
C897 – 05(2009)	Specification for Aggregate for Job-Mixed Portland Cement-Based Plasters
C911 – 06	Specification for Quicklime, Hydrated Lime, and Limestone for Selected Chemical and Industrial Uses
C917 – 05	Test Method for Evaluation of Cement Strength Uniformity From a Single Source
C926 – 06	Specification for Application of Portland Cement-Based Plaster
§C932 – 06	Specification for Surface-Applied Bonding Compounds for Exterior Plastering
C933 – 09	Specification for Welded Wire Lath
§C954 – 10	Specification for Steel Drill Screws for the Application of Gypsum Panel Products or Metal Plaster Bases to Steel Studs from 0.033 in. (0.84 mm) to 0.112 in. (2.84 mm) in Thickness
C955 – 09a	Specification for Load-Bearing (Transverse and Axial) Steel Studs, Runners (Tracks), and Bracing or Bridging for Screw Application of Gypsum Panel Products and Metal Plaster Bases
C956 – 04	Specification for Installation of Cast-In-Place Reinforced Gypsum Concrete
§C977 – 03(2009)	Specification for Quicklime and Hydrated Lime for Soil Stabilization
§C1002 – 07	Specification for Steel Self-Piercing Tapping Screws for the Application of Gypsum Panel Products or Metal Plaster Bases to Wood Studs or Steel Studs
C1005 – 05	Specification for Reference Masses and Devices for Determining Mass and Volume for Use in the Physical Testing of Hydraulic Cements

CONTENTS

C1007 – 08a	Specification for Installation of Load Bearing (Transverse and Axial) Steel Studs and Related Accessories
C1012/C1012M – 09	Test Method for Length Change of Hydraulic-Cement Mortars Exposed to a Sulfate Solution
C1032 – 06	Specification for Woven Wire Plaster Base
C1038 – 04	Test Method for Expansion of Hydraulic Cement Mortar Bars Stored in Water
§C1047 – 10	Specification for Accessories for Gypsum Wallboard and Gypsum Veneer Base
§C1063 – 08	Specification for Installation of Lathing and Furring to Receive Interior and Exterior Portland Cement-Based Plaster
C1097 – 07	Specification for Hydrated Lime for Use in Asphalt Cement or Bituminous Pavements
C1157/C1157M – 10	Performance Specification for Hydraulic Cement
C1164 – 92(2009)	Practice for Evaluation of Limestone or Lime Uniformity From a Single Source
C1177/C1177M – 08	Specification for Glass Mat Gypsum Substrate for Use as Sheathing
C1178/C1178M – 08	Specification for Coated Glass Mat Water-Resistant Gypsum Backing Panel
C1222 – 09	Practice for Evaluation of Laboratories Testing Hydraulic Cement
C1264 – 05	Specification for Sampling, Inspection, Rejection, Certification, Packaging, Marking, Shipping, Handling, and Storage of Gypsum Panel Products
C1271 – 99(2006)	Test Method for X-ray Spectrometric Analysis of Lime and Limestone
C1278/C1278M – 07a	Specification for Fiber-Reinforced Gypsum Panel
C1280 – 09	Specification for Application of Gypsum Sheathing
C1301 – 95(2009) ^{ε1}	Test Method for Major and Trace Elements in Limestone and Lime by Inductively Coupled Plasma-Atomic Emission Spectroscopy (ICP) and Atomic Absorption (AA)
C1318 – 95(2009) ^{ε1}	Test Method for Determination of Total Neutralizing Capability and Dissolved Calcium and Magnesium Oxide in Lime for Flue Gas Desulfurization (FGD)
C1328 – 05	Specification for Plastic (Stucco) Cement
C1329 – 05	Specification for Mortar Cement
C1355/C1355M – 96(2006)	Specification for Glass Fiber Reinforced Gypsum Composites
C1356 – 07	Test Method for Quantitative Determination of Phases in Portland Cement Clinker by Microscopical Point-Count Procedure
C1365 – 06	Test Method for Determination of the Proportion of Phases in Portland Cement and Portland-Cement Clinker Using X-Ray Powder Diffraction Analysis
C1381/C1381M – 97(2008) ^{ε1}	Specification for Molded Glass Fiber Reinforced Gypsum Parts
C1396/C1396M – 09a	Specification for Gypsum Board
C1397 – 09	Practice for Application of Class PB Exterior Insulation and Finish Systems (EIFS) and EIFS with Drainage
C1437 – 07	Test Method for Flow of Hydraulic Cement Mortar
C1467/C1467M – 00(2006)	Specification for the Installation of Molded Glass Fiber Reinforced Gypsum Parts
C1489 – 01(2008) ^{ε1}	Specification for Lime Putty for Structural Purposes
C1506 – 09	Test Method for Water Retention of Hydraulic Cement-Based Mortars and Plasters
C1513 – 10	Specification for Steel Tapping Screws for Cold-Formed Steel Framing Connections
C1516 – 05	Practice for Application of Direct-Applied Exterior Finish Systems
C1529 – 06a	Specification for Quicklime, Hydrated Lime, and Limestone for Environmental Uses
C1535 – 05	Practice for Application of Exterior Insulation and Finish Systems Class PI
C1546 – 02(2008) ^{ε1}	Guide for Installation of Gypsum Products in Concealed Radiant Ceiling Heating Systems
C1565 – 09	Test Method for Determination of Pack-Set Index of Portland Cement
C1597M – 04(2009) ^{ε1}	Specification for Gypsum Wallboard (Hard Metric Sizes)
C1600/C1600M – 08	Specification for Rapid Hardening Hydraulic Cement
C1608 – 07	Test Method for Chemical Shrinkage of Hydraulic Cement Paste
C1629/C1629M – 06	Classification for Abuse-Resistant Nondecorated Interior Gypsum Panel Products and Fiber-Reinforced Cement Panels
C1658/C1658M – 06	Specification for Glass Mat Gypsum Panels
C1702 – 09a	Test Method for Measurement of Heat of Hydration of Hydraulic Cementitious Materials Using Isothermal Conduction Calorimetry
C1707 – 09	Specification for Pozzolanic Hydraulic Lime for Structural Purposes
D6249 – 06	Guide for Alkaline Stabilization of Wastewater Treatment Plant Residuals

RELATED MATERIAL

MANUAL OF CEMENT TESTING
METRIC PRACTICE GUIDE FOR CEMENT
SI Quick Reference Guide
Index